

# Tempheat a Division of C&T Rentals

The "T" in C&T Stands for Tempheat

If the "heating experts" can't help you, give C&T a call

We Specialize In Temporary Heating

For rules & regulations regarding installation of  
construction heaters, propane tanks & cylinders  
please call the Manitoba Dept. of Labour @ 945-3373

## FUEL HEATING VALUES

One gal. propane - 109,000 Btu's  
One kw electrically - 3,412 Btu's

One cubic ft. natural gas - 1,000 Btu's  
One gal. # 1 fuel oil - 168,000 Btu's

## ELECTRIC HEATERS

		DAY	WEEK	4 WEEKS
19005	<b>5,000 BTU</b> , 110 Volt, 1500 Watts c/w Fan, Draw 13 Amp	9.00	14.00	22.00
19004	<b>5,000 BTU, Patron E1.5</b> , 110 Volt, 1500 Watts c/w Fan, Draw 12.5 Amp 14 lbs	18.00	27.00	44.00
19007	<b>16,000 BTU</b> , 220 Volt, 1 Phase c/w Fan, Draw 22 Amp, 4800 Watts	11.00	17.00	33.00
19008	<b>30,700 BTU, Patron E9</b> , 220 Volt, 1 Phase c/w Fan, Draw 37.5 Amp, 9,000 Watts	28.00	55.00	110.00

## OIL HEATERS DIRECT FIRED

		DAY	WEEK	4 WEEKS
19009	<b>55,000 BTU Reddy Heater</b>	22.00	66.00	138.00
19010	<b>115,000 BTU - REDDY HEATER</b> 110 volt, Forced Air, 48 lbs.,size H22" x D18" x L34", tank cap. 7.5gal Burns .61 gallons per hr. Operating time on full tank 12.3 Hrs.	28.00	94.00	275.00
19012	<b>150,000 BTU - REDDY RC 150 F</b> , 110volt, Forced Air, 55 lbs.,size H25" x D20.5" x L42", tank cap. 11.25 gal Burns 1.16 gallons per hr. Operating time on full tank 12.2 Hrs.	31.00	121.00	330.00

## INDIRECT FIRED OIL HEATERS

		DAY	WEEK	4 WEEKS
18801	<b>125,000 BTU Ground Heater - E1100</b> 110 Volt, Glycol heater, weight with fuel 2,700 Lbs. Thaws Ground, Cure Concrete Up to 72 hours run time, 273 Litre Capacity	275.00	1,100.00	3,300.00
19016	<b>ICE OHV 350 - 320,000 BTU</b> 2.0 GPH, 110 Volt, 400 lbs. 200 degrees Fahrenheit discharge temperature Runs 18hrs. On a 45 Gal Drum, L70" x W35"xH50", 2 - 12" diam. Air outlets 2000 CFM without ducts, CSA approved	83.00	303.00	798.00
19016	<b>Airmaster - 415,000 BTU</b> 2.5 GPH, 115 V, 12 Amps, Tank Cap 160 L L 58", W 33", H 54" Weight 440 Lbs. 2300 CFM without ducts 15 hours - integral tank, 18 hours - 45 gallon drum	83.00	303.00	798.00
19101	THERMOSTATS - For above Heaters	6.00	11.00	22.00
19105	Anti Syphon Device - For above Heaters	11.00	28.00	55.00
19100	12' x 12", CANVAS DUCTS - for above heaters Two 12" outlets, max duct length 24'	11.00	18.00	41.00
19097	45 Gallon Drums	Minimum Rental Charge - \$17.00		
-----	Heating Oil	Sale Item - Call For Prices		
-----	Methyl - Hydrate and filters	Sale Item - Call For Prices		

## PROPANE HEATERS - DIRECT FIRED

### INFRA RED C/W SINGLE CYLINDER HOOK - UP NO POWER REQUIRED

		DAY	WEEK	4 WEEKS
19030	<b>12,000 BTU - INFRA-RED</b> c/w stand, Runs 175 hours on 100lb. cylinder, 37 hours on 20lb. cylinder	14.00	25.00	33.00
19032	<b>25,000 BTU - INFRA-RED</b> Runs 76 hours on 100lb. cylinder 12 hours on 20lb. cylinder	17.00	55.00	110.00
19034	<b>50,000 BTU - INFRA-RED</b> Runs 38 hours on 100lb. cylinder 6 hours on 20lb. cylinder	22.00	83.00	165.00
19036	<b>85,000 BTU - TENT HEATER</b> Length 30", Width 16", Height 22", Weight 122 Lbs.	44.00	176.00	352.00
19039	<b>175,000 BTU -TENT HEATER</b> Length 30", Width 18", Height 31", Weight 164 Lbs.	55.00	220.00	440.00

### TIGER TORCH TYPE C/W SINGLE CYLINDER HOOK - UP NO POWER REQUIRED

		DAY	WEEK	4 WEEKS
19160	<b>Tiger Torch - 200,000 BTU</b>	14.00	27.00	53.00
19036	<b>60,000 BTU – RED MAXX AC60</b> 22lbs., L22" x H11" x W9" Manifold Pressure 13 lbs.	15.00	59.00	110.00
19040	<b>150,000 BTU - SUREFLAME S150</b> L36" x H15" x W14", Tiger torch type No power required, 6.9lbs/hr, 12.6hrs 100lb/tank	15.00	59.00	110.00
19042	<b>160,000 BTU – RED MAXX B160</b> 44lbs., L36" x H15" x W12" Manifold Pressure 13 lbs. No power required	15.00	59.00	110.00
19048	<b>300,000 BTU - SUREFLAME S300</b> L42" x H24" x W18", Tiger torch type,53lbs.	19.00	72.00	143.00
19140	1 Cylinder Hook up c/w 15 Ft. Hose & Regulator	4.00	7.00	14.00
19150	2 Cylinder Hook up c/w 15 Ft. Hose & Regulator	4.00	7.00	14.00
19155	3 Cylinder Hook up c/w 15 Ft. Hose & Regulator	5.00	8.00	17.00

## PROPANE HEATERS - DIRECT FIRED

### C/W SINGLE CYLINDER HOOK - UP POWER REQUIRED

		DAY	WEEK	4 WEEKS
19037	<b>60,000 BTU Heater Red Max</b>	33.00	110.00	275.00
19040	<b>150,000 BTU - SUREFLAME S150</b> L36" x H15" x W14", Tiger torch type	15.00	59.00	110.00
19085	FN2 Fan, optional 1500 CFM fan for S150	4.00	8.00	17.00

## PROPANE HEATERS - DIRECT FIRED

### C/W SINGLE CYLINDER HOOK - UP POWER REQUIRED

		DAY	WEEK	4 WEEKS
19038	<b>125,000 BTU Radiant Heater</b>	15.00	59.00	110.00
19044	<b>150,000 BTU - REDDY RCLP 155</b> Forced Air, 110 Volt, Electric Start, H16.5" x D10.25" x L32", burns 6.9lbs.of propane per hour	20.00	77.00	165.00
19036	<b>85,000 BTU - TENT HEATER</b> Length 30", Width 16", Height 22", Weight 122 Lbs.	44.00	176.00	352.00
19139	<b>175,000 BTU -TENT HEATER</b> Length 30", Width 18", Height 31", Weight 164 Lbs.	55.00	220.00	440.00
19048	<b>300,000 BTU - SUREFLAME S300</b> L42" x H24" x W18", Tiger torch type,53lbs.	19.00	72.00	143.00
19085	FN2 Fan, optional 1500 CFM fan for S300	4.00	8.00	17.00
19140	1 Cylinder Hook-up c/w 15 Ft. Hose & Regulator	4.00	7.00	14.00
19150	2 Cylinder Hook-up, c/w 15 Ft.Hose & Regulator	4.00	7.00	14.00
19155	3 Cylinder Hook-up, c/w 15 Ft.Hose & Regulator	5.00	8.00	17.00
19157	4 Cylinder Hook-up, c/w 15 Ft.Hose and Regulator	7.00	11.00	22.00

## PROPANE/NATURAL GAS HEATERS

### INDIRECT FIRED POWER REQUIRED

		DAY	WEEK	4 WEEKS
19059	<b>350,000 BTU- (ICE) OHV 350-II</b> Forced air, 110 volt, weight 400lbs. L 70' W 35" H 52" ETL approved, 2 - 12" dia outlets, discharge temp 220 F runs on 2.0" W.C. propane or nat gas, 18.5lbs/hr 2500 CFM without ducts, 5 hrs per 100lbs/tank	83.00	303.00	798.00
19065	<b>450,000 BTU- (ICE) OHV 500</b> Forced air, 110 volt, weight 400lbs. L 70' W 35" H 52" ETL approved, 2 - 12" dia outlets, discharge temp 220 F runs on 3.2" W.C. propane or nat gas 2500 CFM without ducts Burns 5.0 US. Gal.Per Hr. On Propane Burns 446 Cu.Ft. Per Hr.On Natural Gas	88.00	358.00	908.00
19100	12' x 12", CANVAS DUCTS - for above heaters Two 12" outlets, max duct length 24'	11.00	18.00	41.00
19101	THERMOSTATS - for above heaters	6.00	11.00	22.00
19165	Chimney's Assembly 3 feet	11.00	28.00	55.00
19067	<b>700,000 BTU - ICE - HIS</b> Forced Air, 2230 volt, 1 Phase, weight 1,600 Lbs. H 45" L96" W35" , 2 - 16 dia outlets, 4" Static ETL Approved, Propane or Natural gas, 4,200 CFM Remote Thermostat Available	165.00	660.00	1,980.00
191**	25' x 16", CANVAS DUCTS - for above ICE			
191**	THERMOSTATS - for above heaters			

**CONTINUED....**

# PROPANE/NATURAL GAS HEATERS

## DIRECT FIRED HIGH OR LOW PRESSURE POUNDS OR OUNCES

		DAY	WEEK	4 WEEKS
19070	<b>400,000 BTU - SUREFLAME S400</b> Burns 400 CU.FT. of Nat. Gas per hour or 3.7gal. (18.5 lbs) of propane per hour, 110 Volt 93lbs., L45" x H22" x W17", 2000 CFM Free Air, 6" w.c. Natural Gas, 11" w.c. Propane Gas thermostats available on some models	44.00	165.00	358.00
19075	<b>400,000 BTU - FLAGRO F400</b> Burns 400 CU. FT. of Nat. Gas per hour or 3.7gal. (18.5 lbs) of propane per hour, 110 Volt c/w thermostat	44.00	165.00	358.00
19076	<b>1,000,000 BTU - SUREFLAME SL11</b> Burns 1000 CU.FT. of Nat. Gas per hour or 9gals. (46lbs.) of propane per hour, 110 Volt 290lbs., L64" x H37" x W30", 295 lbs 7000 CFM Free Air, 6" w.c. Natural gas, 11"w.c. Propane Gas	66.00	275.00	715.00
19082	<b>1,500,000 BTU - SUREFLAME SL15</b> Burns 1500 CU.FT. of Nat. Gas per Hour or 13.3 gals. of propane per hour, 110 Volt c/w thermostat, 295 lbs., L64" x H37" x W30" 7000 CFM, 1,500,000 BTU on High, 800,000 BTU on Low	83.00	330.00	825.00
19082	<b>1,500,000 BTU - RED MAX</b> Burns 1500 CU.FT. of Nat. Gas per Hour or 13.3 gals. of propane per hour, 110 Volt c/w remote thermostat, 295 lbs., L64" x H37" x W30" 7000 CFM, 1,500,000 BTU on High, 800,000 BTU on Low	83.00	330.00	825.00

---

**FOR HEATERS  
CALL AND ASK  
FOR  
ED OR GEORGE**

# MISCELLANEOUS HEATING

		DAY	WEEK	4 WEEKS
19160	Tiger Torch - 200,000 BTU	14.00	27.00	53.00
19162	Manifold and Fittings Pkg.	6.00	11.00	17.00
16700	100 Gallon Fuel Tank	28.00	83.00	165.00
16700	165 Gallon Fuel Tank	28.00	83.00	165.00
26027	Fuel transfer Pump ( Manual )	17.00	28.00	83.00
16800	Gas cans	Minimum Rental Charge - \$ 6.00		
19095	20 lb. Propane Cylinder	Minimum Rental Charge - \$ 11.00		
19091	33 lb. Propane Cylinder	Minimum Rental Charge - \$ 14.00		
19094	100 lb. Propane Cylinder	Minimum Rental Charge - \$ 17.00		
19096	80 Gallon Propane Tank	Minimum Rental Charge - \$ 28.00		
19099	500 Gallon Propane Tank	Minimum Rental Charge - \$110.00		
19098	1000 Gallon Propane Tank	Minimum Rental Charge - \$165.00		
19090	2000 Gallon Propane Tank	Minimum Rental Charge - \$220.00		
19170	<b>Bosch Heat Gun</b> 110 Volts Model 1943 LED 120 - 1100 F	17.00	55.00	110.00
19097	45 Gallon Drum	Minimum Rental Charge - \$ 17.00		
19087	Vaporizer Electric	Minimum Rental Charge - \$33.00		
19086	Vaporizer Gas	Minimum Rental Charge - \$110.00		
4051	20 lb. Propane Refill	<b>Call For Prices</b>		
4054	33 lb. Propane Refill	<b>Call For Prices</b>		
4053	40 lb. Propane Refill	<b>Call For Prices</b>		
4050	100 lb. Propane Refill	<b>Call For Prices</b>		
4052	Bulk Propane	<b>Call For Prices</b>		
4070	Fuel Oil	<b>Call For Prices</b>		
19120	Tool Hose - ½" by 25'	6.00	9.00	22.00
19125	Tool Hose - ½" by 50'	11.00	17.00	44.00
19127	Tool Hose - ½" by 75'	17.00	25.00	65.00
19130	Tool Hose - ¾" Up to 20 Ft. for ounces gas	11.00	17.00	44.00
19130	Vent Line - ¾" by 25'	11.00	17.00	44.00
19132	Tool Hose – 1" Up to 20 Ft. for ounces gas	11.00	17.00	44.00
19134	Tool Hose – 1 ¼" Up to 20 Ft. for ounces gas	11.00	17.00	44.00
19136	Tool Hose – 1 ½" Up to 20 Ft. for ounces gas	11.00	17.00	44.00

**"RENTING THE SMART WAY  
TO GET THINGS DONE"**

# Dryair Heating Packages

<u>Dryair Heating Package #1</u>	Day	Week	4 Week
This package will heat up to 5,000 sq. ft.	380.00	1,375.00	3,850.00
<ul style="list-style-type: none"> <li>1 - 250,000 Btu Water Heater</li> <li>2 - 1"x 50' Glycol Supply Hose's</li> <li>5 - Insulated Tarps</li> <li>1 - 200,000 Btu Heat Exchanger</li> </ul>			

<u>Dryair Heating Package #2</u>	Day	Week	4 Week
This package will heat up to 5,000 sq. ft.	409.00	1,469.00	4,064.00
<ul style="list-style-type: none"> <li>1 - 250,000 Btu Water Heater</li> <li>2 - 1"x 50' Glycol Supply Hose's</li> <li>5 - Insulated Tarps</li> <li>1 - Manifold Set 1"x 3/4" x 3 Port</li> <li>4 - 3/4" x 50' Glycol Supply Hose's</li> <li>2 - 80,000 Btu Heat Exchangers</li> </ul>			

<u>Dryair Heating Package #3</u>	Day	Week	4 Week
This package will heat up to 25,000 sq. ft.	935.00	3,437.00	7,975.00
<ul style="list-style-type: none"> <li>1 - 1,200,000 Btu Water Heater</li> <li>2 - 2"x 50' Glycol Supply Hose's</li> <li>5 - Insulated Tarps</li> <li>1 - Manifold Set 2"x 1 1/4"x 4 Port</li> <li>4 - 1 1/4"x 50' Glycol Supply Hose's</li> <li>2 - 600,000 Btu Heat Exchangers</li> </ul>			

<u>Dryair Heating Package #4</u>	Day	Week	4 Week
This package will heat up to 25,000 sq. ft.	930.00	3,300.00	7,755.00
<ul style="list-style-type: none"> <li>1 - 1,200,000 Btu Water Heater</li> <li>2 - 2"x 50' Glycol Supply Hose's</li> <li>1 - Manifold Set 2" x 1" x 4 Port</li> <li>8 - 1" x 50' Glycol Supply Hose's</li> <li>4 - 200,000 Btu Heat Exchangers</li> </ul>			

# Dryair Ground Thaw Packages

<u>Dryair Ground Thaw Package #1</u>	Day	Week	4 Week
This package will thaw up to 3,500 sq. ft. at 12" spacing of hose.	616.00	1,815.00	4,785.00
<ul style="list-style-type: none"> <li>1 - 250,000 Btu Water Heater</li> <li>2 - 1"x 50' Glycol Supply Hose's</li> <li>1 - Manifold 1"x 7 Port</li> <li>1 - HR2500 Hose Reel complete with</li> </ul>			

7 - 500' Loops of 5/8" Pre Charged Glycol Hose

**Dryair Ground Thaw Package #2**

This package will thaw up to 9,000 sq. ft.  
at 18" spacing of hose.

1018.00

3905.00

10010.00

- 1 - 1,200,000 Btu Water Heater
- 2 - 2"x 50' Glycol Supply Hose's
- 1 - Manifold 2"x 3/4 x 8 Port
- 1 - HR6000 Hose Reel complete with
- 8 - 750' Loops of 3/4" Pre Charged Glycol Hose

**Dryair Ground Thaw Package #3**

This package will thaw up to 18,000 sq. ft.  
at 18" spacing of hose.

1,458.00

5,555.00

14,410.00

- 1 - 1,200,000 Btu Water Heater
- 4 - 2"x 50' Glycol Supply Hose's
- 2 - Manifold 2"x 3/4 x 8 Port
- 2 - HR6000 Hose Reel complete with
- 16 - 750' Loops of 3/4" Pre Charged Glycol Hose

When ground thawing, ALWAYS use a vapor barrier  
Cover with one or two layers of insulated tarps

---

**For more information.  
Please visit our Web Site.  
At [www.ctrentals.ca](http://www.ctrentals.ca)**

# Dryair Products

## Heaters

		Day	Week	4 Week
188-00	<b>250,000 Btu Dryair Water Heater</b> Propane or Natural gas, Weight 500 lbs. It requires 115 Volts, 15 Amp. Breaker Circulation pump 3/4 HP, 30 GPM @ 30 PSI	275.00	1,100.00	3,300.00
188-30	<b>1,200,000 Btu Dryair Water Heater</b> Propane or Natural gas fired, Weight 1815 Lbs. It requires 220 Volt 4 wire, 30 Amp. Breaker Circulation Pump 2 HP, 80 GPM @ 30 PSI	550.00	2,200.00	5,500.00
188-05-02	Trailer for heater units - 2" ball required	44.00	176.00	528.00

## Hose Reels

189-60	<b>HR6000 Hose Reel</b> For 1,200,000 Btu Water Heater Complete with 8 - 750' Loops of 3/4" Hose Pre Charged with Glycol. It Covers 9,000 sq. ft. at 18" spacing. Weight 4500 Lbs., 115 volts, 15 Amps.	369.00	1,430.00	3,905.00
189-50	Trailer for above - Pindle Hitch Required	55.00	275.00	550.00
189-55	<b>HR2500 Hose Reel</b> For 250,000 Btu Water Heater Complete with 7 - 500' loops of 5/8" Hose Pre Charged with Glycol It covers 3,500 sq. ft. at 12" spacing Trailer for above, 2" Ball Required	275.00	550.00	1,100.00
		44.00	176.00	528.00

## Heat Exchangers

189-00	<b>Heat Exchanger 80,000 Btu</b> Motor 1/4 HP. 120 Volts, 3.7 Amps. CFM 1025 @ .25" static pressure H 33.6" L 21.4" W 18.5" Weight 90 Lbs., Fluid Connection 3/4" Thermostatically controlled	28.00	83.00	165.00
189-05	<b>Heat Exchanger 200,000 Btu</b> Motor 1 HP. 120 Volt, 12.7 Amps. CFM 2500 @ .75" static pressure H 39" L 49.6" W 32.25" Weight 210 Lbs., Fluid Connection 1" Thermostatically controlled	55.00	165.00	330.00
189-07	<b>Heat Exchanger 600,000 Btu</b> Motor 1 HP. 120 Volt, 12.7 Amps. CFM 5700 @ 3" static pressure H 51.8" L 80.5" W 45" Weight 560 Lbs., Fluid Connection 1 1/4"	110.00	385.00	770.00

## Dryair Products Continued...

### Glycol Supply Hoses

		Day	Week	4 Week
<b>189-27</b>	2"x 25' Glycol Supply Hose	14.00	42.00	83.00
<b>189-28</b>	2"x 50' Glycol Supply Hose	28.00	83.00	165.00
<b>189-24</b>	1" x 1 1/4"x 25' Glycol Supply Hose	7.00	21.00	42.00
<b>189-25</b>	1" x 1 1/4"x 50' Glycol Supply Hose	14.00	42.00	83.00
<b>189-22</b>	1"x 25' Glycol Supply Hose	6.00	14.00	28.00
<b>189-23</b>	1"x 50' Glycol Supply Hose	11.00	28.00	55.00
<b>189-18</b>	3/4"x 25' Glycol Supply Hose	3.00	9.00	17.00
<b>189-20</b>	3/4"x 50' Glycol Supply Hose	6.00	17.00	33.00
<b>189-19</b>	5/8" x 500' Glycol Supply Hose	28.00	83.00	165.00
<b>189-29</b>	3/4" x 750' Glycol Supply Hose	55.00	165.00	330.00

#### Glycol Supply Hose Length Limitations

Glycol Supply Hose, 2" no more than 300 feet one way

Glycol Supply Hose, 3/4", 1", 1 1/4" no more than 250 feet one way to the heat exchanger

### Manifold Sets

		Day	Week	4 Week
<b>189-08</b>	Manifold Set 1" x 1/2" x 7 Port	17.00	55.00	165.00
<b>189-09</b>	Manifold Set 1" x 5/8" x 6 port	11.00	28.00	55.00
<b>189-10</b>	Manifold Set 1" x 3/4" x 3 Port	9.00	28.00	83.00
<b>189-13</b>	Manifold Set 2" x 1" x 4 Port	17.00	55.00	165.00
<b>189-14</b>	Manifold Set 2" x 1" x 3 Port	9.00	28.00	83.00
<b>189-14</b>	Manifold Set 2" x 1" x 2 Port	9.00	28.00	83.00
<b>189-17</b>	Manifold Set 2" x 3/4" x 8 Port	17.00	55.00	165.00

When placing your manifolds, the male quick coupler is always on your supply side

### Miscellaneous Items

<b>189-40</b>	<b>Gas Conversion Kit</b> For 1,200,000 Dryair	83.00	275.00	550.00
<b>189-38-01</b>	<b>Mixing / Booster Pump 1" X 1"</b> Provides Extra Flow - Dual Temperature Control	165.00	550.00	1,100.00
<b>189-38-02</b>	<b>Mixing / Booster Pump 2" X 2"</b> Provides Extra Flow - Dual Temperature Control	165.00	550.00	1,100.00
<b>189-39</b>	<b>Plate Booster Pump 2" x 2"</b> Plate Heat exchanger - 3 HP Boosting Pump 36"W x 52"L x 33"H, weight 500 lbs wet, Output - Exchanges up to 1,000,000 BTU/H	330.00	1,100.00	2,200.00
<b>189-37</b>	<b>Glycol Reservoir Extension</b> Used when placing heat exchangers higher than the water heater reservoir	28.00	83.00	220.00
<b>189-30</b>	<b>Insulated Tarps 5 feet Long</b> Used to cover Glycol supply hose from heater to inside building	6.00	11.00	22.00

**50/50 Glycol as required at \$3.75 per litre**

**5/8" Heater Hose .75 per ft.**